




Hinges
Hardware
& Mixers




Code no. 01-100 CONTINUOUS HINGES

■ Drilled and countersunk

Options

- Hinge Material steel
 - A = Aluminium
 - B = brass
 - S = stainless steel 304
 - X = stainless steel 316
- Pin Material steel, brass, stainless steel
- Available length 3500, 2500, 2000, 1830 mm
- Finish various
- Length of knuckles
 - P = 15 or 30 mm, various









Dimensions in mm


Available on request

- Length cut to size
- Special hinges – cranked, unequal leaves, bending
- To customers special requirements

Our raw materials

Raw material	Thickness (mm)	Grade
Steel	0.7 - 1.0	DC 01, C 290, MC
Steel	1.25 - 1.5	DC 01 bright
Steel	2.0 - 3.0	DD 11 bright
Stainless steel	0.7 - 3.0	304 and 316
Solid brass	0.7- 1.0	Cu Zn 37 medium hardness, pre-polished
Solid brass	1.25 -3.0	Cu Zn 37 medium hardness, satin
Aluminium	0.7- 3.0	AlMg 3 G 22 medium hardness, satin





CALMORE

Hinges
Hardware
& Mixers

Code no. 01-100 CONTINUOUS HINGES

Code	Hinge Material = steel A = Aluminium B = brass S = stainless steel 304 X = stainless steel 316	Length = L mm	Length = L inch	Open Width = B mm	Open Width = B inch	Thickness = C mm	Pin dia = D mm	Length of Knuckles = P mm
01-10020A	Steel, S	3500		20		0.7	1.75	15
01-10020B	Steel, S	3500		20		1.0	1.75	15
01-10020E	X	1830		20		0.9	2.2	
01-10025A	Steel, S	3500		25		0.7	1.75	15
01-10025B	Steel, S	3500		25		1.0	1.75	15
01-10025C	X	1830		25		0.9	2.2	
01-10028A	Steel, S	3500		28		0.7	1.75	15
01-10028B	Steel, S	3500		28		1.0	1.75	15
01-10028C	Steel, S	3500		28		1.0	3.0	15
01-10030A	Steel, S	3500		30.5		1.0	1.75	15
01-10032A	Steel, S	3500		32		0.7	1.75	15
01-10032B	Steel, S	3500		32		1.0	1.75	15
01-10032C	Steel, S	3500		32		1.0	3.0	15
01-10032D	Steel, S	3500		32		1.25	2.5	30
01-10032E	Steel, S	3500		32		1.5	3.0	30
01-10032G	X	1830		32		0.9	2.2	
01-10038A	Steel, S	3500		38		1.0	3.0	15
01-10040A	Steel, S	3500		40		0.7	1.75	15
01-10040B	Steel, S	3500		40		1.0	1.75	15
01-10040C	Steel, S	3500		40		1.25	2.5	30
01-10040E	Steel, S	3500		40		1.5	3.0	30
01-10040F	Steel, S	3500		40		2.0	4.0	30
01-10040G	Steel, S	3500		40		1.25	6.0	30
01-10040H	Steel, S	3500		40		2.0	6.0	30
01-10040I	Steel, S	3500		40		3.0	6.0	30



CALMORE

Hinges
Hardware
& Mixers

Code no. 01-100
CONTINUOUS HINGES

Code	Hinge Material = steel A = Aluminium B = brass S = stainless steel 304 X = stainless steel 316	Length = L mm	Length = L inch	Open Width = B mm	Open Width = B inch	Thickness = C mm	Pin dia = D mm	Length of Knuckles = P mm
01-10045A	Steel, S	3500		45		1.25	2.5	30
01-10045B	Steel, S	3500		45		1.5	3.0	30
01-10045D	Steel, S	3500		45		1.25	6.0	30
01-10045E	Steel, S	3500		45		2.0	6.0	30
01-10045G	X	1830		45		1.2	3.6	25
01-10045K	X	1830		45		1.6	3.8	25
01-10050A	Steel, S	3500		50		0.7	1.75	15
01-10050B	Steel, S	3500		50		1.0	1.75	15
01-10050C	Steel, S	3500		50		1.25	2.5	30
01-10050D	Steel, S	3500		50		1.0	3.0	15
01-10050E	Steel, S	3500		50		1.5	3.0	30
01-10050K	X	1830		50		1.2	3.6	25
01-10050N	X	1830		50		1.6	3.8	25
01-10050F	Steel, S	3500		50		2.0	4.0	30
01-10050G	Steel, S	3500		50		1.25	6.0	30
01-10050H	Steel, S	3500		50		2.0	6.0	30
01-10050H	X	1830		50		2.0	6.0	30
01-10050I	Steel, S	3500		50		3.0	6.0	30
01-10050I	X	1830		50		3.0	6.0	25
01-10060A	Steel, S	3500		60		1.25	2.5	30
01-10060B	Steel, S	3500		60		1.5	3.0	30
01-10060E	Steel, S	3500		60		2.0	6.0	30
01-10060F	Steel, S	3500		60		3.0	6.0	30
01-10060G	Steel, S	3000		60		3.0	10.0	30
01-10065C	X	1830		65		2.0	6.0	25
01-10070B	Steel, S	3500		70		2.0	6.0	30
01-10070C	Steel, S	3500		70		3.0	6.0	30
01-10080B	Steel, S	3500		80		2.0	6.0	30
01-10080C	Steel, S	3500		80		3.0	6.0	30
01-100C1A	Steel, S	3500		100		2.0	6.0	30
01-100C1B	Steel, S	3500		100		3.0	6.0	30